



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

February 21, 2007

Washington Water Service
Attn Judy Passey
6800 Meridian Road SE
Olympia, WA 98513

Re: Water Permit No. **G2-26990**

Dear Ms. Passey:

We are pleased to let you know that your extension request for this water right permit has been granted. Your new deadline to put the water to **full beneficial use** and send a completed Proof of Appropriation form is **March 1, 2011.**

Reasons for granting extension:

- The supply needs and the rate of growth occurring in the public water system's service area.

By statute (RCW 90.03.320), projects under permit must be pursued with due diligence and completed in a reasonable period. Extension of a permit can only be considered when we receive a written request and extension fee. Any future requests should address the following:

- The reason(s) for needing the extension.
- A description of efforts made since the permit was issued or the last extension was granted.
- A proposed schedule for completing the development.
- An extension fee of \$50.00.

When you return the completed Proof of Appropriation form to us, be sure that:

- It is **notarized.**
- You have written in the **parcel number** for the point of diversion/withdrawal for where your project is located (and the place of use, if different). Parcel numbers can be found on property tax statements or obtained through the assessor's office.

Upon receipt of your Proof of Appropriation form, we will review the information and may come out to inspect your project. Once we are confident that all of the terms and provisions of your permit have been met, we will notify you by mail to request the certificate recording fees for the state and county.



Your right to appeal -

You have the right to appeal this Order to the Pollution Control Hearings Board. Pursuant to chapter 43.21B RCW, your appeal must be filed with the Pollution Control Hearings Board, and served on the Department of Ecology, within thirty (30) days of the date of your receipt of this document. To appeal this action or decision, your notice of appeal must contain a copy of the Ecology order, action, or decision you are appealing.

Mail your appeal to:

Pollution Control Hearings Board
PO Box 40903
Olympia, Washington 98504-0903

OR

Deliver your appeal to:

Pollution Control Hearings Board
4224 - 6th Ave SE Rowe Six, Bldg 2
Lacey, Washington 98504-0903

AND MAIL TO BOTH ADDRESSES BELOW

Mail your appeal to:

Department of Ecology
Appeals Coordinator
PO Box 47608
Olympia, Washington 98504-7608


AND

Mail your appeal to:

Tom Loranger
Department of Ecology
PO Box 47775
Olympia, Washington 98504-7775

If we can provide further assistance, please contact us at (360) 407-6300.

Sincerely,



Thomas Loranger
Water Resources Section Manager

Printed By: Ira Peterson
On: 01/29/2007 At: 10:35 am

RECEIPT

Department of Ecology
PO Box 5128
Lacey, WA 98509-5128
(360) 407-7095

Receipt Number
(4610) Manual Receipt

07-015629

Current Document Number **461K2588CJ** Date **01/30/2007** FM 19

Remitter Name **WASHINGTON WATER SERVICE COMPANY** Receipt Name

Check/Draw Number **57836**
Document Amount **\$50.00**
Method of Payment **Check**
Comment Description **WATER RIGHTS**

Ref Doc Nr	Ref Doc Sfx	Inv Nr	Id Nr	Sub Id Nr	Prgm Cd	T C	R	Fund	Maj Grp	Maj Src	Sub Src	Cnty	Work Cls	PIC	AI	Org	Prj	Sub Prj	Prj Phs	Sub Obj	Sub Sub Obj	Var GL	Sub Sid Dr	Sub Sid Cr	Alloc Amt
				H00	001			001	02	85	000011														\$50.00

2/20/07
This PA extension
is approved until
3/1/11.
Aargand



WASHINGTON WATER SERVICE COMPANY

RECEIVED

JAN 26 2007

Washington State
Department of Ecology

January 25, 2007

Department of Ecology
Attn: Abby Brown
PO Box 47775
Olympia, WA 98504

RE: Ground Water Permit #G2-26990P, Parkshore Estate Water System,
Request for Extension

Dear Ms. Brown:

Attached please find a check in the amount of \$50.00 for a Five-year (5)
extension for above water right permit from March 1, 2006 to March 1 2011.

All source and distribution facilities are complete and in service for each system.
Residential construction and in-filling continue, but are incomplete for each
system. We do not believe that all the remaining lots in each system will be built
on for at least another five years.

We believe a five-year extension period is reasonable for each water right
considering the level of activity we have seen in these areas. If you have any
questions or concerns, please give me a call toll free at (877) 408-4060 or directly
at (253) 851-3422 extension 1106.

Sincerely,

A handwritten signature in blue ink that reads "Judy Passey".

Judy Passey
Administrative Assistant to the President

Enclosure

cc: Mike Ireland, President, Washington Water Service Company
Engineering Department, Washington Water Service Company
System File
\\Hbrsvr\washington water service\Department of Ecology\Southwest\G2-26990P Parkshore Est Extension
letter.doc



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

February 16, 2006

Washington Water Service Company
6800 Meridian Road SE
Olympia WA 98513

Dear Sir or Madame:

Re: Ground Water Permit **G2-26990 - Overdue Notice**


In reviewing your file, I noticed we have not received your Proof of Appropriation form. This letter is to remind you that the development schedule of your water right permit required that water be put to beneficial use and the Proof of Appropriation form submitted by **March 1, 2006**.

There are a number of possible steps you may need to take in order to bring your permit back into good standing, depending on the status of your project. Please refer to the following chart:

If this is the case:	You need to do this within thirty (30) days of the date of this letter:
You have put the water to full beneficial use.	Complete and submit the Proof of Appropriation form. The form must be <u>notarized</u> , and include the parcel number for the point of withdrawal/diversion. Recording Fees: \$50.00 Payable to Dept of Ecology \$34.00 Payable to Mason Co. Auditor Send both checks/money orders to Ecology
You need more time to put the water to beneficial use.	1. Submit a written request for an extension (refer to enclosed brochure for instructions). 2. Submit extension fee (\$50.00).
You no longer intend to develop your project.	Notify Ecology's Southwest Regional office in writing.
You need more information.	Contact our office at (360) 407-6300.

Failure to respond to this letter within 30 days may result in the cancellation of your permit.

Sincerely,


Teresa Hanson
Water Resources Program

Enclosures: "Proof of Appropriation of Water" form
"Important Information about Your Water Right Permit" brochure



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

September 4, 2001

Washington Water Service Co
6800 Meridian Road SE
Olympia WA 98513

Dear Sir or Madame:

Re: Water Right Permit No. G2-26990

In compliance with your request, you are hereby granted an extension of time to put the water to full beneficial use and file notice of such action under the above mentioned permit.

As a condition of this permit extension, we are now requiring that your water source(s) be metered. An approved metering device shall be installed and maintained in accordance RCW 90.03.360, RCW 90.44.450 and WAC 508-12-030. Meter readings shall be recorded at least monthly. You will be required to submit meter readings to the Department of Ecology prior to issuance of your final water right certificate. Your final certificate will be provisioned for continued metering, and you may be required to continue the submittal of that data to the Department of Ecology.

Please submit the following when the actual water has been put to full beneficial use:

- ° Proof of Appropriation form filled out and notarized
- ° \$9.00 check payable to the Mason County Auditor's Office
- ° \$5.00 check payable to the Department of Ecology


Please send both checks to the Department of Ecology and we will forward the Auditor check along with your Certificate to the County Auditor's Office for recording. **Also, the County Auditor is requiring that we have the parcel number for your property added to your Certificate. Please provide the parcel number for the point of withdrawal/diversion and the place of use.**

If you do not expect to have the water put to full beneficial use by **March 1, 2006**, you should request further extensions, as needed. To request additional extensions, you will need to submit a letter explaining why an extension is needed, including how many more connections are proposed on this water system. You may extend for more than one year at a time at a rate of \$5.00 per year.

This order may be appealed. Your appeal must be filed with the Pollution Control Hearings Board, PO Box 40903, Olympia, WA 98504-0903 within thirty (30) days of the date this Order was mailed by the Department of Ecology. At the same time a copy of your appeal must be sent to the Department of Ecology, c/o Appeal Coordinator, PO Box 47600, Olympia, WA 98504-7600. Your appeal alone will not stay the effectiveness of this order. Stay requests must be submitted in accordance with RCW 43.21B.320. These procedures are consistent with Chapter 43.21B RCW.

If you have any questions or concerns about any of this information, please call Sheri Carroll at (360) 407-0240 or Deb Hunemuller at (360) 407-0290.

Sincerely,


J. Mike Harris
Water Resources Supervisor
JMH:th (paextension/metering)

S



Printed By: Dawn Merryman
On: 08/06/2001 At: 12:01 pm

RECEIPT

Receipt Number 02-001987

Department of Ecology (4610)
PO Box 5128
Lacey, WA 98509-5128
(360) 407-7095

Current Document Number 461G0160CJ

Date 08/07/2001

FM 02

Remitter Name WASHINGTON WATER SERVICE COMPANY Receipt Name

Check/Draw Number 37796
Document Amount \$50.00
Method of Payment Check
Comment Description WATER RIGHTS

Ref Doc	Ref Doc Sfx	Inv Nr	Id Nr	Prgm Cd	T C	R	Fund	Maj Grp	Maj Src	Sub Src	Cnty	Work Cls	PIC	AI	Org	Prj	Sub Prj	Prj Phs	Sub Obj	Sub Sub Obj	Var GL	Sub Sid Dr	Sub Sid Cr	Alloc Amt
				H00	001		001	02	85	000010														\$50.00

8/13/2001
PA extension fee OK.
PA extension fee 3/1/2006
extend PA to
JLH



WASHINGTON WATER SERVICE COMPANY

6800 MERIDIAN ROAD SE • OLYMPIA, WA 98513 • (360) 491-3760

Engineering Department

RECEIVED

AUG 03 2001

Washington State
Department of Ecology

July 30, 2001

Deb Hunemuller
DOE Southwest Regional Office
PO Box 47775
Olympia, Washington 98504-7775

RE: Parkshore Estates Water System, ID 66146U
Ground Water Permit #G2-26990-P
Request for Extension
Thurston County

Dear Ms. Hunemuller:

Attached please find a check in the amount of \$50.00 for a Ten- (10) year extension of this permit from March 1, 1996 to March 1, 2006. All source and distribution facilities are complete and in service. Residential construction in-filling continues, but is incomplete. We do not believe that all the remaining lots will be built on for at least another five years. We believe a five-year extension period from today is reasonable considering the level of activity we have seen. CCOK

Please do give me a call at (360) 491-3760 if there are any questions.

Sincerely,

Gerald F. Petersen, PE
Engineering Manager

CC OK.
extend PA

GFP:sk

cc: File #1086
Parkshore Estates Well 1 DOE Document File
G:\SSU Temp Disks\0.45\Parkshore Est ID 66146 DOE_EXT.doc

S

Notice of Name & Address Change

July 5, 2001

Effective as of December 1999

South Sound Utilities Company
6800 Meridian Road SE
Olympia, Washington 98513-6302
Phone: 360 491-3760

Has Been Changed to:

Washington Water Service Company
South Sound District
6800 Meridian Road SE
Olympia, Washington 98513-6302
Phone 360 491-3760

S

**WASHINGTON WATER SERVICE COMPANY**

6800 MERIDIAN ROAD SE • OLYMPIA, WA 98513 • (360) 491-3760

Engineering Department

July 17, 2001

Sheri Carroll
Department of Ecology
Southwest Regional Office
PO Box 47775
Olympia, Washington 98504-7775

RE: Name and Address Change and Water Rights Updates

Dear Ms. Carroll:

Please find enclosed an updated alphabetical list of the systems Washington Water Service Company owns and operates from our South Sound District office in Olympia. The list includes the water right numbers for each associated well. Enclosed is a copy of our Notice of Change of Address and Owner name. Please show this name change for each of the listed water rights.

As you may be aware, both the former South Sound Utility Company (Now South Sound District), and the former Harbor Water Company (Now Harbor District), were merged in late 1999 to form Washington Water Services Company. The South Sound District permits will continue to be managed from the Olympia address. The Harbor District permits will continue to be managed from the Gig Harbor address. Your contacts for each are:

South Sound District:
Harbor District

Jerry Petersen (360) 491-3760
Mike Ireland (253) 851-4060

If the Harbor District has not notified you of their name change and list of affected permits, please contact Mike Ireland at the number listed above.

I apologize for not getting this to you sooner. This is the first of many updates you will be receiving, as we work to update our water rights files.

Please note that the attached system acquisitions include three recent new acquisitions

S

Sheri Carroll
July 17, 2001
Page 2 of 2

Please reflect Washington Water as the new owner for these systems and their permits:

Crystal Springs, G2-26679-C

Previous Owner Mel
Householder

Lacamas Farmsteads, G2-25425-C and G2-29064-A

Previous Owner Clark
McGowan

Ranch Acres, G2-26109-C

Previous Owner Don
Reel (Estate of)
/Marlene Budnick

Thank you for your time and consideration. If you have any questions or concerns,
please call me at 360 491-3760.

Sincerely,



Gerald F. Petersen, PE
Engineering Manager

cc: File No. 2612

\\Sendserv\Shared Data\SSU Temp Disks\0.45\DOE Name change letter 7-5-01.doc

S

Washington Water Service Company

South Sound District Water Rights

7/5/2001

DOE Region	System Name	Well Name	DOE Well ID#	Present Water Right Number	Superseded Water Right Number	Superseded Water Right Number
SW	Alpine Hills	1		G2-25845-P	G2-01100-C	9886
SW	Alpine Hills	2		G2-25845-P	G2-01100-C	
SW	Andrews First	1		G2-27173-C	G2-26236-C	
SW	Andrews First	2		G2-27173-C		
SW	Aspinwall Estates	1		G2-27623A-P		
SW	Aspinwall Estates	3		G2-27623B-P		
SW	Belwood Park	1		G2-29831-A		
SW	Belwood Park	2		G2-29831-A		
SW	Biscay Villa	1		G2-25240-C		
SW	Biscay Villa	U		G2-28779-P		
SW	Black Lake Estates	2	AAA972	G2-26326-C		
SW	Black Lake Estates	1	AAA973	G2-26326-C		
SW	Black Lake Park	U		G2-26080-P		
SW	Camelot/Western Skies	1		G2-25845-P		
SW	Camelot/Western Skies	2		G2-25845-P		
SW	Cedarwood/South Union	1	AAA982	G2-25249-C		
SW	Classic Heights	1	AAF122	G2-25846A-P	G2-25846-P	
SW	Classic Heights	2		G2-27900-P		
SW	Cloister, The	1	AAA983	G2-25443-C		
SW	Creekside Meadows II	1		G2-28201-C		
SW	Crescent Park	1	AAA980	G2-24701-C		
SW	Crystal Springs	1		G2-26679-C		
SW	Crystal Springs	2		G2-26679-C		
SW	Curries Landing	1		G2-28566-A		
SW	Cuyamaca Village	1		G2-26663-P	G2-00733-C	
SW	Cuyamaca Village	2		G2-26663-P		
SW	Cuyamaca Village	3		G2-26663-P		
SW	Delphi Daubel	1		G2-25845-P		
SW	Eagle Estates	1		G2-26621-P		
SW	ES, DI, CAM, AH Regional Wells (7)	6U, 7U		G2-25845-P		
SW	Evergreen Shores	1	AAA969	G2-25845-P	6448A	
SW	Evergreen Shores	2	AAA970	G2-25845-P	6731A	
SW	Evergreen Shores	3	AAA971	G2-25845-P		
SW	Forest Park	1		G2-26621B-P		
SW	Foxhall	1	AAA964	G2-26746-C	G2-26220-C	
SW	Foxhall	2	AAA965	G2-26746-C	G2-26220-C	
SW	Foxhall	4	AAA967	G2-26746-C		
SW	Foxhall	3	AAA966	G2-28648-C		
SW	Henderson Blvd	1	AAA984	G2-23229-C		
SW	Henderson Blvd	2	AAA985	G2-23229-C		
SW	Henderson Blvd	3	AAA986	G2-25396-C		
SW	Heritage Row	1		G2-28023-P		
SW	Holiday Ranchettes	2	AAA961	G2-26613-P	G2-24077-C	
SW	Holiday Ranchettes	1	AAA962	G2-26613-P	G2-24077-C	
SW	HR, TG, WW Regional Wells (9)	8U, 9U		G2-26613-P		
SW	IH, SC, AE Regional Wells (3)	3		G2-27514B-P		
SW	Inlet Heights	1		G2-27514A-P	G2-25248-C	
SW	Inlet Heights	2		G2-27514A-P		
SW	Inlets End	1	ABP141	G2-28743-P		

S

Washington Water Service Company
South Sound District Water Rights

7/5/2001

DOE Region	System Name	Well Name	DOE Well ID#	Present Water Right Number	Superceded Water Right Number	Superceded Water Right Number
SW	Inlets End	2	ABW828	G2-28743-P		
SW	Inlets End	3	ABW829	G2-28743-P		
SW	Israel Place/San Angelo Park	1		G2-25256-C		
SW	Karen Place	1	AAA979	G2-28845-A	G2-25427-C	
SW	Karen Place	2		G2-28845-A		
SW	Lacamas	1		G2-25425-C		
SW	Lacamas	2		G2-29064-A		
SW	Lacamas	3		G2-29064-A		
SW	Lake Lawrence	1		G2-22136-C		
SW	Lake Lawrence	2		G2-22136-C		
SW	Lake Lawrence	3		G2-22136-C		
SW	Lake Lawrence	4		G2-22136-C		
SW	Libby Road East	1		G2-22319-C		
SW	Libby Road East	1		G2-28847-P		
SW	Loganberry "A"	1	ACD544	G2-29499-A		
SW	Loganberry "B"	1	ACD543	G2-29499-A		
SW	Parkshore Estates	1	ABR120	G2-26990-P	G2-20454-C	
SW	Rainwood	1	AAA968	G2-28846-P	G2-25376-C	
SW	Ranch Acres	1		G2-26109-C		
SW	Ranch Acres	2		G2-26109-C		
SW	Ranch Acres	3		G2-26109-P		
SW	Red Cedar Estates	1		G2-24995-C		
SW	Rehkiau Road	U		G2-26038-P		
SW	RF, ET Regional Wells (4)			G2-26813-P		
SW	River Park	1	AAA981	G2-00949-C		
SW	Rolling Firs/Evergreen Terrace	1		G2-26813-P	G2-24269-C	
SW	Rolling Firs/Evergreen Terrace	2		G2-26813-P	G2-24269-C	
SW	Simmons Court	1		G2-26012-C		
SW	Sky Acres	1		G2-26032-C		
SW	Summerhill	1		G2-24834-C		
SW	Triple "G" Lakeview Estates	1		G2-26613-P	G2-00934-C	
SW	Triple "G" Lakeview Estates	1		G2-26613-P	G2-25442-C	
SW	Triple "G" Lakeview Estates	2		G2-26613-P		
SW	White Fir Estates	1	AAA963	G2-25080-C		
SW	White Fir Estates	1	AAA963	G2-25846B-P		
SW	Winnwood	1		G2-26613-P	G2-24847-C	
Project File #1086						
E:\Engineering\Water Rights\SSU District\DOE Rights_SSU.xls						



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

March 13, 2001

Washington Water Service Company
Attn: Gerald Peterson
6800 Meridian Rd SE
Olympia WA 98513-6302

Dear Mr. Peterson:

Re: Ground Water Permits - Expired Development Schedules

This letter serves as a follow up to the meeting Jill Walsh and I had with you on May 31, 2000, and my phone call on January 8, 2001, concerning the status of the Washington Water Service Company water right permits.

During our meeting, we discussed the action that needed to be taken to update the development schedules of the permits. Additionally, in our phone conversation, you expected to update some of the permits by the end of January. To date, our files show no action has been taken. I have enclosed a copy of the matrix of the permits, which includes the current status and action needed to keep the development schedules current. I have updated the matrix since our meeting. Please note that several of the permits' development schedules have expired.

Please send the required documentation and/or extension fees for each permit **within sixty (60) days** of the date of this letter.

Don't hesitate to give me a call at 407-0290 if you have questions or need further information. Your prompt attention to this matter is greatly appreciated.

Sincerely,

Debra Hunemuller
Water Resources Program

DKH:th
Enclosure

TS

South Sound Utility Permits

5/18/2000
Revised 3/13/2001

Permit #	Project Site/Name	County	WRIA	Priority Date	Current Status	Last Activity	Action Needed
G2-25845	7 Wells	Thurston	13&23	3/23/81	CC by 4/1/2002	Application for Change rec'd 5/26/98	No action required immediately; CC by 4/1/02
G2-25846A	Classic Heights Well #1(AAF122)	Thurston	13	3/25/81	PA by 1/1/2000	Ecy letter dated 5/8/96 requesting PA by 1/1/2000	Need PA or Extension request+\$10.00 to update to 1/1/2002
G2-25846B	White Fir Estates Well #1(AAA963)	Thurston	13	3/25/81	PA by 1/1/2002	Ecy letter dated 5/8/96 requesting PA by 1/1/2002	No action required immediately; PA by 1/1/02
G2-26080	Area served by Black Lake Park Water Supply	Thurston	23	2/5/82	CC by 5/1/96	Ecy letter dated 5/22/91 granting extension to 5/1/96	Need CC or Extension request+\$30.00 to update to 5/1/2002
G2-26613	9 wells	Thurston	11 & 13	1/17/84	PA by July 1, 2000	Ecy letter dated 9/11/95 requesting PA by 7/1/2000	Need PA or Extension request+\$5.00 to update to 7/1/2001
G2-26621A	Eagle Estates	Thurston	13	11/28/84	PA overdue	Ecy letter dated 12/8/98, requesting PA (water in use)	Need PA
G2-26621B	Hawks Prairie area	Thurston	13	11/28/84	CC by 11/1/99	Ecy letter dated 12/8/98, requesting CC by 11/1/99	Need CC or Extension request+\$10.00 to update to 11/1/2001
G2-26663	Cuyamaca Village	Thurston	13	3/15/85	CC by 6/1/94	Ecy letter dated 7/2/92 granting extension to 6/1/94	Need CC or Extension request+\$35.00 to update to 6/1/2001
G2-26813	4 wells	Thurston	13	10/16/85	CC by 3/1/99	Issued permit 4/24/86	Need CC or Extension request+\$15.00 to update to 3/1/2002
G2-27514A & B	Inlet Heights Well #2	Thurston	13	8/13/86	CC by 4/1/94	Ecy letter dated 11/29/99 requesting update/extension-follow-up phone call 2/28/2000	Need CC or Extension request+\$40.00 to update to 4/1/2002
G2-26990	West shore of Mason Lake	Mason	14	10/1/86	CC by March 1, 1994	Issued permit 4/15/87	Need CC or Extension request+\$40.00 to update to 3/1/2002
G2-27623A & B	Aspinwall Estates, Well #1 & 3	Thurston	14	10/9/89	CC by 9/1/94	Sent meter readings for 95-96, no CC was ever submitted. PA due 9/1/95	Need CC and Extension request for PA+\$30.00 to extend PA to 9/1/2001
G2-27900	Classic Heights Well #2	Thurston	13	10/30/90	CC by 10/1/2000	Ecy letter dated 10/7/97 granting extension request to 10/1/2000	Need CC or Extension request+\$5.00 to update to 10/1/2001
G2-28743	Hwy 101 & 8 off McKinzie Rd	Thurston	13	2/9/93	CC by January 1, 1999	Ecy letter dated 2/29/2000 requesting update/extension	Need CC or Extension request+\$15.00 to update to 1/1/2002

South Sound Utility Permits

5/18/2000
Revised 3/13/2001

Permit #	Project Site/Name	County	WRIA	Priority Date	Current Status	Last Activity	Action Needed
G2-28779	E of TESC off Sunset Beach Rd	Thurston	13	3/15/93	BC by 3/1/97	Ecy letter dated 11/2/99 requesting update/extension - follow-up phone call 2/28/2000	Need BC or Extension request+\$45.00 to update to 3/1/2002
G2-28846	Rainwood Well #1	Thurston	13	5/18/93	CC by 3/1/98	Ecy letter dated 2/29/2000 requesting update/extension	Need CC or Extension request+\$20.00 to update to 3/1/2002
G2-28847	Libby Road East	Thurston	13	5/18/93	CC by April 1, 1999	Ecy letter dated 2/29/2000 requesting update/extension	Need CC or Extension request+\$15.00 to update to 4/1/2002

5

Memorandum to File

Subject: Permit No. G2-26990, Action Needed

From: Debra Hunemuller, Water Resources *Dkh*

Date: July 6, 2000

On Wednesday, May 31, 2000, Jill Walsh and I met with Gerald Peterson, Manager of South Sound Utility, to discuss the status of their permits and recommend actions to update their development schedules.

We compiled the attached spreadsheet with a brief update and recommended action for each permit. For Permit No. G2-26990, the Completion of Construction was due by March 1, 1994. We recommended that South Sound Utility send the Completion of Construction form or extension request and \$35.00 fee to extend the permit to 3/1/2001.

In addition, Mr. Peterson agreed to send a brief letter explaining the name associated with these permits has been changed to reflect the current owners, Washington Water Service Company.

S

South Sound Utility Permits

5/18/2000

Permit #	Project Site/Name	County	WRIA	Priority Date	Current Status	Last Activity	Action Needed
G2-25845	7 Wells	Thurston	13&23	3/23/81	CC by 4/1/2002	Application for Change rec'd 5/26/98	No action required immediately; CC by 4/1/02
<i>Currently one file - split?</i> G2-25846A	Classic Heights Well #1(AAF122)	Thurston	13	3/25/81	PA by 1/1/2000	Ecy letter dated 5/8/96 requesting PA by 1/1/2000	Need PA or Extension request+\$5.00 to update to 1/1/2001
G2-25846B	White Fir Estates Well #1(AAA963)	Thurston	13	3/25/81	PA by 1/1/2002	Ecy letter dated 5/8/96 requesting PA by 1/1/2002	No action required immediately; PA by 1/1/02
G2-26080	Area served by Black Lake Park Water Supply	Thurston	23	2/5/82	CC by 5/1/96	Ecy letter dated 5/22/91 granting extension to 5/1/96	Need CC or Extension request+\$25.00 to update to 5/1/2001
G2-26613	9 wells	Thurston	11 & 13	1/17/84	PA by July 1, 2000	Ecy letter dated 9/11/95 requesting PA by 7/1/2000	Need PA or Extension request+\$5.00 to update to 7/1/2001
G2-26621A	Eagle Estates	Thurston	13	11/28/84	PA overdue	Ecy letter dated 12/8/98, requesting PA (water in use)	Need PA
<i>Currently one file - split?</i> G2-26621B	Hawks Prairie area	Thurston	13	11/28/84	CC by 11/1/99	Ecy letter dated 12/8/98, requesting CC by 11/1/99	Need CC or Extension request+\$10.00 to update to 11/1/2001
G2-26663	Cuyamaca Village	Thurston	13	3/15/85	CC by 6/1/94	Ecy letter dated 7/2/92 granting extension to 6/1/94	Need CC or Extension request+\$35.00 to update to 6/1/2001
G2-26813	4 wells	Thurston	13	10/16/85	CC by 3/1/99	Issued permit 4/24/86	Need CC or Extension request+\$10.00 to update to 3/1/2001
<i>* Need to amend administratively?</i> G2-27514A & B	Inlet Heights Well #2	Thurston	13	8/13/86	CC by 4/1/94	Ecy letter dated 11/29/99 requesting update/extension-follow-up phone call 2/28/2000	Need CC or Extension request+\$35.00 to update to 4/1/2001
G2-26990	West shore of Mason Lake	Mason	14	10/1/86	CC by March 1, 1994	Issued permit 4/15/87	Need CC or Extension request+\$35.00 to update to 3/1/2001
<i>* Need to amend?</i> G2-27623A & B	Aspinwall Estates, Well #1 & 3	Thurston	14	10/9/89	CC by 9/1/94	Sent meter readings for 95-96, no CC was ever submitted. PA due 9/1/95	Need CC and Extension request for PA+\$30.00 to extend PA to 9/1/2001
G2-27900	Classic Heights Well #2	Thurston	13	10/30/90	CC by 10/1/2000	Ecy letter dated 10/7/97 granting extension request to 10/1/2000	Need CC or Extension request+\$5.00 to update to 10/1/2001
G2-28743	Hwy 101 & 8 off McKinzie Rd	Thurston	13	2/9/93	CC by January 1, 1999	Ecy letter dated 2/29/2000 requesting update/extension	Need CC or Extension request+\$10.00 to update to 1/1/2001

South Sound Utility Permits

5/18/2000

Permit #	Project Site/Name	County	WRIA	Priority Date	Current Status	Last Activity	Action Needed
G2-28779	E of TESC off Sunset Beach Rd	Thurston	13	3/15/93	BC by 3/1/97	Ecy letter dated 11/2/99 requesting update/extension - follow-up phone call 2/28/2000	Need BC or Extension request+\$40.00 to update to 3/1/2001
G2-28846	Rainwood Well #1	Thurston	13	5/18/93	CC by 3/1/98	Ecy letter dated 2/29/2000 requesting update/extension	Need CC or Extension request+\$15.00 to update to 3/1/2001
G2-28847	Libby Road East	Thurston	13	5/18/93	CC by April 1, 1999	Ecy letter dated 2/29/2000 requesting update/extension	Need CC or Extension request+\$10.00 to update to 4/1/2001

